

Jøtul F 100

Jøtul F 100 cat no. 350710 BP, Jøtul F 100 BBE cat no. 350711, Jøtul F 100 SE BP cat no 350794, Jøtul F 100 GRE cat no. 350926, Jøtul F 100 IVE cat no 30049382

Jøtul F 100 USA cat no. 350738 BP, Jøtul F 100 USA BBE, cat no. 350739, Jøtul F 100 USA IVE 350754, Jøtul F 100 USA GRE 350927

BP= Black Paint, BBE = Blue Black Enamel, IVE = Ivory Enamel, GRE = Grey enamel

Antall	Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
1	1	10415092		Sideplate, venstre	Side plate , left	Cast iron min. 4mm thickness BP
1	1	10415027		Sideplate, venstre	Side plate , left	Cast iron min. 4mm thickness BBE
1	1	10415029		Sideplate, venstre	Side plate , left	Cast iron min. 4mm thickness IVE
1	1	10415046		Sideplate, venstre	Side plate , left	Cast iron min. 4mm thickness GRE
2	2			Pakning (til bakplate)	Gasket (for rear plate)	LD 250-2 Ø6,4x750mm
2	3	10416112		Deksel sekundærluft	Cover for air manifold	Cast iron min. 4mm thickness
1	4	129949		Skjermplate bak, svart	Heat shield rear, black	Cast iron min. 4mm thickness
1	4	220251		Skjermplate bak, ubeh alu zn	Heat shield rear, untreated alu zn	0,9mm Alu zn belagt stål/coated steel
1	5	10411392		Røykhullsdeksel	Smoke outlet cover	Cast iron min. 4mm thickness BP
1	5	10411327		Røykhullsdeksel	Smoke outlet cover	Cast iron min. 4mm thickness BBE
1	5	10411329		Røykhullsdeksel	Smoke outlet cover	Cast iron min. 4mm thickness IVE
1	5	10437992		Røykhullsdeksel ny	Smoke outlet cover new	Cast iron min. 4mm thickness BP
1	5	10437927		Røykhullsdeksel ny	Smoke outlet cover new	Cast iron min. 4mm thickness BBE
1	5	10437946		Røykhullsdeksel ny	Smoke outlet cover new	Cast iron min. 4mm thickness GRE
1	6	10438292		Bakplate ny	Rear plate new	Cast iron min. 4mm thickness
1	7			Pakning (til topp)	Gasket (for top)	LD 375-2 Ø9,5x1620mm
1	8	10411512		Hvelv	Baffle	Cast iron min. 4mm thickness
1	9	10411492		Røykstuss, utvendig Ø125	Smoke outlet, non dripless Ø125	Cast iron min. 4mm thickness BP
1	9	10411427		Røykstuss, utvendig Ø125	Smoke outlet, non dripless Ø125	Cast iron min. 4mm thickness BBE
1	9	10411446		Røykstuss, utvendig Ø125	Smoke outlet, non dripless Ø125	Cast iron min. 4mm thickness GRE
1	76	10438092		Røykstuss innvendig Ø125 ny	Smoke outlet, dripless Ø125 new	Cast iron min. 4mm thickness BP
1	76	10438027		Røykstuss innvendig Ø125 ny	Smoke outlet, dripless Ø125 new	Cast iron min. 4mm thickness BBE
1	76	12049995		Røykstuss innvendig Ø125 ny	Smoke outlet, dripless Ø125 new	Cast iron min. 4mm thickness IVE
	76	10438046		Røykstuss innvendig Ø125 ny	Smoke outlet, dripless Ø125 new	Cast iron min. 4mm thickness GRE
1	10			Pakning (til røykstuss)	Gasket (for smoke outlet)	LD 187-1 Ø4,8x500mm
1	11	155088	11,7	Topplate komplett	Top plate , complete	Cast iron min. 4mm thickness BP
1	11	155089	11,7	Topplate komplett	Top plate , complete	Cast iron min. 4mm thickness BBE
1	11	155291	11,7	Topplate komplett	Top plate , complete	Cast iron min. 4mm thickness IVE
1	11	155917	11,7,5	Topplate komplett ny	Top plate , complete new	Cast iron min. 4mm thickness BP
1	11	155918	11,7,5	Topplate komplett ny	Top plate , complete new	Cast iron min. 4mm thickness BBE
1	11	156133	11,7,5	Topplate komplett ny	Top plate , complete new	Cast iron min. 4mm thickness GRE
1	11	12033806	11,7,5	Topplate komplett ny	Top plate , complete new	Cast iron min. 4mm thickness IVE
1	12	10415312		Fyrbunn	Inner bottom	Cast iron min. 4mm thickness
2	13	10415212		Brennplate, side	Burn plate, side	Cast iron min. 4mm thickness
1	14	10414992		Sideplate, høyre	Side plate , right	Cast iron min. 4mm thickness BP
1	14	10414927		Sideplate, høyre	Side plate , right	Cast iron min. 4mm thickness BBE
1	14	10414929		Sideplate, høyre	Side plate , right	Cast iron min. 4mm thickness IVE
	14	10414946		Sideplate, høyre	Side plate , right	Cast iron min. 4mm thickness GRE
1	15	10378092		Ventilsleide	Valve	Cast iron min. 4mm thickness BP
1	16	10411812		Ventilplate	Valve plate	Cast iron min. 4mm thickness
1	17			Pakning(til Ventilplate)	Gasket (for valve plate)	LD 250-2 Ø6,4x835mm

Jøtul F 100

Jøtul F 100 cat no. 350710 BP, Jøtul F 100 BBE cat no. 350711, Jøtul F 100 SE BP cat no 350794, Jøtul F 100 GRE cat no. 350926, Jøtul F 100 IVE cat no 30049382

Jøtul F 100 USA cat no. 350738 BP, Jøtul F 100 USA BBE, cat no. 350739, Jøtul F 100 USA IVE 350754, Jøtul F 100 USA GRE 350927

BP= Black Paint, BBE = Blue Black Enamel, IVE = Ivory Enamel, GRE = Grey enamel

Antall	Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
1	18	40411792		Luftbrem Utgått. Erstattes av 12030879	Air Deflector Discontinued, replaced by 12030879	Cast iron min. 4mm thickness BP
1	18	12030879		LUFTBREM F100 BP	Air Deflector F100 BP	Cast iron min. 4mm thickness BP
2	19	127075		Hengseldubb, sortkromatisert	Hinge pin, black chromated	Ø6x33mm
2	19	125960		Hengseldubb, fornicket	Hinge pin, nickel plated	Ø6x33mm
1	20			Pakning (til dør)	Gasket (for door)	LD 375-2 Ø9,5x1620mm
2	22	153620		Glassklips	Glass Clip	0,9mm stål/steel
1	24			Pakning (til glass)	Gasket (for glass)	LD 250-2 Ø6,4x1300mm
1	25	129976		Glass	Glass	379x270x4mm, keramisk/ceramic
1	26	126164		Fjær for vrider (klinke)	Spring	
1	27	10023684		Z skrue spesial	Long dog point special	Steel
1	27	117733		Spennstift lengde	Spring Pin	Ø5x24mm
1	28	10371292		Vrider (Klinke) svart lakkert	Latch, black painted	Cast iron min. 4mm thickness
1	28	128760		Vrider (Klinke) fornicket	Latch, nickel-plated	Cast iron min. 4mm thickness
	28	155461	26,27,28,29,30,31,32,33,34,35,38,	Vrider kompl (Klinke) svart lakkert	Latch complete, black painted	
	28	155462	26,27,28,29,30,31,32,33,34,35,38,	Vrider kompl (Klinke) fornicket	Latch complete, nickel-plated	
1	29	117796		Skrue, maskin panhode pozidrive	Screw, machine pan head pozidrive	M6x40, DIN 7985
1	30	110904		Skive	Washer	Ø6,4xØ12,5x1,6, St8,8, DIN 125
1	31	126229		Hylse	Sleeve	Ø8xØ6xL27,5mm
1	32	126244		Treknott	Wooden knob	hardved/hard wood
1	33	124853		Skive Klingeritt (isolerende)	Washer, insulating	Special
1	34	116832		Mutter sekskant	Nut hexagon	M6, St8,8, DIN 934
1	35	117587		Skive svartkromatisert spesial	Washer, black-chromated, special	Ø10,5x25x1,5
1	36	155079	19,20,22,24,26,27,28,29,30,31,32,33,34,35,36,37,38,51	Dør komplett - u/glass	Door, complete excl/glass	BP
1	36	155080	19,20,22,24,26,27,28,29,30,31,32,33,34,35,36,37,38,51	Dør komplett - u/glass	Door, complete excl/glass	BBE
1	36	155288	19,20,22,24,26,27,28,29,30,31,32,33,34,35,36,37,38,51	Dør komplett - u/glass	Door, complete excl/glass	IVE
	36	156131	19,20,22,24,26,27,28,29,30,31,32,33,34,35,36,37,38,51	Dør komplett - u/glass	Door, complete excl/glass	GRE
1	36	155961	19,20,22,24,26,27,28,29,30,31,32,33,34,35,36,37,38,51	Dør komplett - u/glass F 100 SE	Door, complete excl/glass F100 SE	BP
1	37			Pakning (til dør)	Gasket (for door)	LD V-125 Flat 8x30mm
1	38	129208		Stengejern	Latch bolt	st 37
1	39	40415192		Frontplate Utgått. Erstattes av 12018374	Front plate. Discontinued, replaced by 12018374	Cast iron min. 4mm thickness BP
1	39	40415127		Frontplate Utgått. Erstattes av 12018374	Front plate Discontinued, replaced by 12018374	Cast iron min. 4mm thickness BBE
1	39	40415129		Frontplate Utgått. Erstattes av 12018374	Front plate Discontinued, replaced by 12018374	Cast iron min. 4mm thickness IVE
1	39	40415146		Frontplate Utgått. Erstattes av 12018374	Front plate Discontinued, replaced by 12018374	Cast iron min. 4mm thickness GRE
1	39	12018374		Front F100 BP	Front F100 BP	
1	40	155085		Askeleppe pakket	Ash lip packed	Cast iron min. 4mm thickness BP
1	40	155086		Askeleppe pakket	Ash lip packed	Cast iron min. 4mm thickness BBE
1	40	155289		Askeleppe pakket	Ash lip packed	Cast iron min. 4mm thickness IVE
	40	156132		Askeleppe pakket	Ash lip packed	Cast iron min. 4mm thickness GRE
1	41	10415492		Kubbestopper/askelist	Log/Ash retainer	Cast iron min. 4mm thickness BP
4	42	10195292		Ben 155mm	Leg 155mm	Cast iron min. 4mm thickness BP
4	42	10195227		Ben 155mm	Leg 155mm	Cast iron min. 4mm thickness BBE

Jøtul F 100

Jøtul F 100 cat no. 350710 BP, Jøtul F 100 BBE cat no. 350711, Jøtul F 100 SE BP cat no 350794, Jøtul F 100 GRE cat no. 350926, Jøtul F 100 IVE cat no 30049382

Jøtul F 100 USA cat no. 350738 BP, Jøtul F 100 USA BBE, cat no. 350739, Jøtul F 100 USA IVE 350754, Jøtul F 100 USA GRE 350927

BP= Black Paint, BBE = Blue Black Enamel, IVE = Ivory Enamel, GRE = Grey enamel

<i>Antall</i>	<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
4	42	10195229		Ben 155mm	Leg 155mm	Cast iron min. 4mm thickness IVE
4	42	10195246		Ben 155mm	Leg 155mm	Cast iron min. 4mm thickness GRE
1	43	10412112		Ventil/deksel	Valve/cover plate	Cast iron min. 4mm thickness
1	44	10413992		Bunnplate	Bottom plate	Cast iron min. 4mm thickness BP
1	44	10413927		Bunnplate	Bottom plate	Cast iron min. 4mm thickness BBE
1	44	10413929		Bunnplate	Bottom plate	Cast iron min. 4mm thickness IVE
	44	10413946		Bunnplate	Bottom plate	Cast iron min. 4mm thickness GRE
1	45	129950		Skjermplate, under	Heat shield, under	AluZn belagt stål/coated steel
1	46	117097		Skrue, sekskanthode	Screw, hexagon cap	M6x50, St8.8, DIN 933
4	47	117099		Skrue, sekskanthode med flens	Screw, hexagon cap flange	M6x25, St8.8
17	48	117118		Skrue, sekskanthode med flens	Screw, hexagon cap flange	M6x16, St8.8
6	49	117130		Skrue, sekskanthode med flens	Screw, hexagon cap flange	M6x12, St8.8
6	50	117452		Skive	Washer	Ø8,4xØ20x1,5, St8.8, DIN 522
2	51	117505		Skrue, maskin panhode pozidrive	Screw, machine pan head pozidrive	M6x8, DIN 7985
1	52	117880		Mutter, sekskant med flens	Nut, cap flange	M6, St8.8, DIN 6923
1	53			Pakning (til bakplate)	Gasket (for rear plate)	LD V-125 Flat 8x30mm
1	70	128934		Hylse	Sleeve	Ø6,2xØ10xL10mm
1	71	129946		Ventilstang	Handle	ø6mm stålsteel
1	72	128345		Løst handtak forniklet støpejern	Loose handle nickel plated cast iron	Cast iron min. 4mm thickness
1	72	221807		Løst håndtak flat	loose handle flat	2mm steel
1	73	129955		Askeskuff	Ash pan	1mm Alu dip stålsteel
1	74	40415692		Askerist f/kullfyring/askeløsning 12030909	Grate, (for multifuel) Repaced by 12030909	Cast iron min. 4mm thickness BP
1	74	12030909		FYRRIST F100 BP	Grate, (for multifuel) F100 BP	Cast iron min. 4mm thickness BP
1	75	10415712		Fyrbunn bakre, f/kullfyring/askeløsning	Inner bottom, rear, (for multifuel)	Cast iron min. 4mm thickness
1	76	155218		Røykstuss innvendig Ø125 UK	Smoke outlet, dripless Ø125 UK	Cast iron min. 4mm thickness BP
1	76	155219		Røykstuss innvendig Ø125 UK	Smoke outlet, dripless Ø125 UK	Cast iron min. 4mm thickness BBE
1	76	155290		Røykstuss innvendig Ø125 UK	Smoke outlet, dripless Ø125 UK	Cast iron min. 4mm thickness IVE
1	76	156138		Røykstuss innvendig Ø125 UK	Smoke outlet, dripless Ø125 UK	Cast iron min. 4mm thickness GRE
1	76	155483		Røykstuss innvendig Ø150 USA	Smoke outlet, dripless Ø6" USA	Cast iron min. 4mm thickness BP
1	76	155484		Røykstuss innvendig Ø150 USA	Smoke outlet, dripless Ø6" USA	Cast iron min. 4mm thickness BBE
	76	156137		Røykstuss innvendig Ø150 USA	Smoke outlet, dripless Ø6" USA	Cast iron min. 4mm thickness GRE
1		151991	29,30,31,32,33,34	Pose m/treknott og smådeler	Wooden knob and small parts	
		350340		Gulvplate	Floor plate	Cast iron min. 4mm thickness BBE
		350342		Gulvplate	Floor plate	Cast iron min. 4mm thickness IVE
		350936		Gulvplate	Floor plate	Cast iron min. 4mm thickness GRE
		350173		Ben 155mm (4stk)	Leg 155mm (4pcs)	Cast iron min. 4mm thickness BP
		350174		Ben 155mm (4stk)	Leg 155mm (4pcs)	Cast iron min. 4mm thickness BBE
		350176		Ben 155mm (4stk)	Leg 155mm (4pcs)	Cast iron min. 4mm thickness IVE
		350938		Ben 155mm (4stk)	Leg 155mm (4pcs)	Cast iron min. 4mm thickness GRE
		350735		Ben 215 mm (4stk)	Leg 215 mm (4pcs)	Cast iron min. 4mm thickness BP

Jøtul F 100

Jøtul F 100 cat no. 350710 BP, Jøtul F 100 BBE cat no. 350711, Jøtul F 100 SE BP cat no 350794, Jøtul F 100 GRE cat no. 350926, Jøtul F 100 IVE cat no 30049382

Jøtul F 100 USA cat no. 350738 BP, Jøtul F 100 USA BBE, cat no. 350739, Jøtul F 100 USA IVE 350754, Jøtul F 100 USA GRE 350927

BP= Black Paint, BBE = Blue Black Enamel, IVE = Ivory Enamel, GRE = Grey enamel

<i>Antall</i>	<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
	350736			Ben 215 mm (4stk)	Leg 215 mm (4pcs)	Cast iron min. 4mm thickness BBE
	350755			Ben 215 mm (4stk)	Leg 215 mm (4pcs)	Cast iron min. 4mm thickness IVE
	350937			Ben 215 mm (4stk)	Leg 215 mm (4pcs)	Cast iron min. 4mm thickness GRE
	10192592			Ben 215mm (1stk)	Leg 215mm (1pcs)	Cast iron min. 4mm thickness BP
	10192527			Ben 215mm (1stk)	Leg 215mm (1pcs)	Cast iron min. 4mm thickness BBE
	10192529			Ben 215mm (1stk)	Leg 215mm (1pcs)	Cast iron min. 4mm thickness IVE
	10192546			Ben 215mm (1stk)	Leg 215mm (1pcs)	Cast iron min. 4mm thickness GRE
	154615			Fjær for selvluukkende dør	Spring for self closing door	
	350718			Sett f/kullfyring/askeløsning	Multifuel Kit	
	350743			Ekstra skjermplate bak, Sverige		

Draw.no 4-3854-P19